

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S35 | 27   | (SIP adj message) and (establish\$3 or generat\$3 or creat\$3) near (contact or alias)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 15:54 |
| S36 | 1    | (compress\$3) near ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3) near (alias)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 15:56 |
| S37 | 2    | (compress\$3) near ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3) with (contact or alias or temporary)                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 15:56 |
| S38 | 4    | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3) with (contact or alias or temporary)                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 15:59 |
| S39 | 1203 | (compress\$3) with ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (alias or temporary)                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:03 |
| S40 | 4    | (compress\$3) with ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (alias or temporary) near contact            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:03 |
| S41 | 4    | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (alias or temporary)             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:04 |
| S42 | 3    | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact adj (alias or address)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:06 |
| S43 | 3    | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact near (alias or address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:07 |
| S44 | 2    | (compress\$3) near ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact near (alias or address)              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:07 |
| S45 | 2    | (compress\$3) near ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with contact near (temporary or alias or address) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:08 |

|     |      |   |                                    |    |    |                  |
|-----|------|---|------------------------------------|----|----|------------------|
| S46 | 3416 | (compress\$3) near ((SIP or signal\$4)) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) with (contact or temporary or alias or address)  | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:08 |
| S47 | 1    | (compress\$3) near ((SIP or signal\$4) adj address) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address)  | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:09 |
| S48 | 4    | (compress\$3) near ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address)  | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:09 |
| S49 | 12   | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address)  | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:10 |
| S50 | 22   | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP)   | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:14 |
| S51 | 40   | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4 or INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (contact or temporary or alias or address or SIP)                            | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:15 |
| S52 | 9    | (compress\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP)              | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:19 |
| S53 | 9    | (compress\$3 or ecrypt\$3) with ((SIP or signal\$4) adj message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/12/02 16:19 |

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| S54 | 10 | (compress\$3 or encrypt\$3) with ((SIP or signal\$4) near message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP)            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:23 |
| S55 | 24 | (compress\$3 or encrypt\$3) with ((SIP or signal\$4 or session) near message) and (establish\$3 or generat\$3 or creat\$3 or intercept\$3 or identif\$4) near (contact or temporary or alias or address or SIP) and (INVITE or OK or REGISTER or OPTIONS or BYE or proxy) near (SIP) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/12/02 16:23 |
| S57 | 0  | @ad<"20031120" and proxy with (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias with (mobile or cell\$4 or portable) near (device or unit or contact or address)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:19 |
| S58 | 13 | @ad<"20031120" and (proxy or server or SIP) same (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias with (mobile or cell\$4 or portable) near (device or unit or contact or address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:23 |
| S59 | 17 | @ad<"20031120" and (proxy or server or SIP) and (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias with (mobile or cell\$4 or portable) adj (device or unit or contact or address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:35 |
| S60 | 10 | @ad<"20031120" and (through or thru) near (proxy or server or SIP) and (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias same (mobile or cell\$4 or portable) adj (device or unit or contact or address)                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:37 |
| S61 | 41 | @ad<"20031120" and (through or thru) near (proxy or server or SIP) and (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias and (mobile or cell\$4 or portable) adj (device or unit or contact or address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:40 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S62 | 0   | @ad<"20031120" and (through or thru) near (proxy or server or SIP) same (generat\$3 or establish\$3 or creat\$3 or associat\$3 or map\$4 or link\$3) with alias and (mobile or cell\$4 or portable) adj (device or unit or contact or address) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:37 |
| S63 | 0   | @ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) with alias with (SIP adj address)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:42 |
| S64 | 0   | @ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) with alias with ((SIP or mobile or cell\$4) adj address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:42 |
| S65 | 0   | @ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) with alias same ((SIP or mobile or cell\$4) adj address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:42 |
| S66 | 0   | @ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or subtitut\$3 or associat\$3 or link\$3) same alias near ((SIP or mobile or cell\$4) adj address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:43 |
| S67 | 0   | @ad<"20031120" and alias near ((SIP or mobile or cell\$4) adj address)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:43 |
| S68 | 4   | @ad<"20031120" and alias with ((SIP or mobile or cell\$4) adj address)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:44 |
| S69 | 4   | @ad<"20031120" and alias same ((SIP or mobile or cell\$4) adj address)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:46 |
| S70 | 201 | @ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or associat\$3 or link\$3) same (alias or temporary or new or modif\$4) same ((SIP or mobile or cell\$4) adj address)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 18:46 |
| S71 | 28  | @ad<"20031120" and (generat\$3 or creat\$3 or establish\$3 or associat\$3 or link\$3) same (alias or temporary or new or modif\$4) same ((SIP or mobile) adj address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 19:13 |
| S72 | 18  | @ad<"20031120" and (alias or modif\$4) same ((SIP or mobile) adj address)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/01 19:16 |

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| S73 | 9  | @ad<"20031120" and (modif\$4 or associat\$3 or establish\$3 or generat\$3 or creat\$3) same (alias or new or temporary or modif\$4) with ((SIP) adj address) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:01 |
| S76 | 0  | @ad<"20031120" and (presence near proxy) same advertis\$3 same (message near compress\$3) same mobile  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:03 |
| S77 | 0  | @ad<"20031120" and (presence near proxy) same advertis\$3 same (message near compress\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:02 |
| S78 | 0  | @ad<"20031120" and (presence near proxy) same advertis\$3 and (message near compress\$3) same mobile   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:02 |
| S79 | 0  | @ad<"20031120" and (presence with proxy) same advertis\$3 same (message near compress\$3) same mobile  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:03 |
| S80 | 22 | @ad<"20031120" and (presence with proxy) same advertis\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:13 |
| S81 | 17 | @ad<"20031120" and (presence with proxy) same advertis\$3 and (SIP or mobile or compress\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:03 |
| S82 | 1  | "20050097200" and advertis\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:15 |
| S83 | 1  | 10/717769 and advertis\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:10 |
| S84 | 20 | @ad<"20031120" and (presence with proxy) with (broadcast\$3 or advertis\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:25 |
| S85 | 1  | "20050097200" and (advertis\$3 or broadcast\$3)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:16 |
| S86 | 1  | "20050097200" and (advertis\$3 or broadcast\$3 or proxy or registrar)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:18 |

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S87 | 1  | "20030120813" and (advertis\$3 or broadcast\$3 or proxy or registrar)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:18 |
| S88 | 0  | @ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and SIP and compress\$3 near message                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:25 |
| S89 | 0  | @ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and SIP and compress\$3 with message                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:25 |
| S90 | 1  | @ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and SIP   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:32 |
| S91 | 1  | @ad<"20031120" and (presence with proxy) same (broadcast\$3 or advertis\$3) and (SIP or (compress\$3 near message))             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:34 |
| S92 | 16 | @ad<"20031120" and (presence with (server or proxy)) same (broadcast\$3 or advertis\$3) and (SIP or (compress\$3 near message)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/02/02 17:34 |